
# **ULD SPECIFICATIONS**

#### Pallets and Containers

In airplanes, cargo is loaded in containers and pallets. These containers and pallets are also called Unit Loading Devices (ULD). On the following page you will learn more about the ULDs




Common designation

### IATA ULD code: AMA rectangular container on P6P base


Main-deck container. Door is canvas with built-in net door straps.

Maximum gross weight: 6,804 cm (15,000 lb)


Tare weight: 350 kg (772 lb),



IATA ULD code: PGA/PGF Q6



# IATA ULD code: PGA/PGF Q7




#### IATA ULD code: PMC LD

Universal general-purpose flat pallet for lower holds and main decks.

Tare weight: 120 kg (265 lb)

Volume: H 162.6 cm (64 in), 11.5 m3 (407 ft3)




Common designation

IATA ULD code: PMC Q6

Universal general-purpose flat pallet for lower holds and main decks.

Tare weight: 120 kg (265 lb)

Volume: H 243.8 cm (96 in), 17.0 m3 (600 ft3)




IATA ULD code: PMC Q7


Universal general-purpose flat pallet for lower holds and main decks.

Tare weight: 120 kg (265 lb)


Volume: H 299.7 cm (118 in), 21.2 m3 (750 ft3)




IATA ULD code: PYB Q6




IATA ULD code: PYB Q7



IATA ULD code: PZA Q6



IATA ULD code: PZA Q7



### IATA ULD code: AKE contoured container


Half-width lower hold container with one angled side. Door is either canvas or solid.

Door opening: 58 x 61-in (147 x 155-cm)

Maximum gross weight: 1,588 cm (3,500 lb)

Tare weight: 82 kg (181 lb)

AS1825 volume: 4.5 m3 (159 ft3)




# IATA ULD code: RKN contoured cool container

Half-width lower hold insulated container with one angled end. Door is solid. Most examples are forkable.

Door opening: 54 x 55-in (137 x 140-cm) Maximum gross weight: 1,588 cm (3,500 lb)

Tare weight: 210 kg (463 lb)



# IATA ULD code: HMA horse box on P6P pallet base

P6P base with IATA-specified horse box stalls attached. Available with canvas top or solid roof. Some further modified versions available with position for escort.

Maximum gross weight: 3,500 kg (7,716 lb)

Tare weight: 1,310 kg (2,888 lb)

Download ULD Specifications as PDF